



*VERSATILITY TO WORK WITH
YOUR PLOTS*

M-63

Silage Harvester

 **HALDRUP USA**

VERSATILITY TO WORK WITH YOUR PLOTS

HALDRUP M-63 SILAGE HARVESTER

MAYBE YOU ALREADY HAVE A TRACTOR SUITABLE FOR THE MAIZE OR ENERGY PLANTS HARVESTING, OR THE ONE YOU WILL BUY CAN BE USED FOR ALL THE OTHER AGRICULTURE DUTIES ON YOUR FARM.

BY INSTALLING THE COMPUTER SYSTEM IN THE CAB OF THE TRACTOR YOU GET ACCESS TO ALL THE OPTIONS FROM THE M-63 YOU WISH.

VERSATILITY IS CALLED HALDRUP M-63!










DELIVERING THE BEST QUALITY IN DIFFERENT CONDITIONS

HALDRUP M-63 CHOPPER



HALDRUP CHOPPER

HIGH EFFICIENCY UNDER VARIOUS CONDITIONS

-  2 ROWS / WORKING WIDTH: 4.1 FT. (1.25 M).
-  12 HARDENED SPECIAL KNIVES.
-  PTO CONNECTION.
-  FOLDABLE CHASSIS.
-  SAFETY SYSTEM AGAINST ROCK & SOIL INTAKE.

BEST PRODUCT FOR MEASURE

HALDRUP M-63 CHOPPER







OPERATOR PLATFORM

COMPACT DESIGN THAT ADJUSTS TO THE SIZE OF THE MACHINE

COMPACT DESIGN

HALDRUP OPERATOR PLATFORM

-  CAPACITY FOR ONE OPERATORS WITH DIFFERENT SEATING OPTIONS: COMFORT OR STANDARD.
-  CONTROL BOX CONTROLS.
-  PROTECTION RAILS.
-  SAMPLE STORAGE SPACE.



HIGH PRECISION IN EACH DATA





HALDRUP WEIGHING SYSTEM

 HALDRUP



SIMPLE & PRECISE

HALDRUP WEIGHING SYSTEM

-  SIMPLE, FAST & PRECISE.
-  317 GALLONS (1200 L) CAPACITY.
-  4 BENDING WEIGHING CELLS.
-  AUTOMATIC DISCHARGE ON BOTH SIDES.



MONITORING TO THE LAST DETAIL IS WHAT COUNTS

QUICK REFERENCE VALUE OF THE WEIGHING

REPRESENTATIVE & ACCURATE

HALDRUP SAMPLING SYSTEM

FOR THOSE USERS WHO NEED TO ANALYZE THE SAMPLES IN THE LABORATORY, HALDRUP OFFERS A HIGH PRECISION SAMPLING SYSTEM, REPRESENTATIVE OF THE WHOLE PLOT.





ANALYZING THE SAMPLE SIMPLY WILL THROW MORE ACCURATE RESULTS.





SAMPLING IN ONE STEP

HALDRUP SAMPLING SYSTEM

-  CONTINUOUS OR RANDOMIZED SAMPLING.
-  SAMPLE AUGER CONTROL FOR DEFINE SAMPLE SIZE.
-  *SAMPLE BALANCE FOR WEIGHING SAMPLES.
-  *AUTOMATIC LABEL PRINTING PLOT TO PLOT.

**Optional*

LAB ON THE FIELD

HALDRUP NIR SYSTEM

THE MARKET DEMANDS EVERY DAY
MORE TECHNOLOGY AND WE ARE HERE
TO FACE THE CHALLENGE.

WITH NIR TECHNOLOGY BUILT INTO OUR
SILAGE HARVESTER, YOU HAVE A LAB ON
THE FIELD.

WE MEASURE WITH THE HIGHEST
PRECISION: MOISTURE, PROTEIN,
CARBOHYDRATES, FIBER AND MUCH
MORE!



CHOOSE YOUR NIR

HALDRUP NIR SYSTEM

ZEISS CORONA



POLYTEC







PERTEN



QUALITY MEASURES

HALDRUP NIR SYSTEM

-  *ZEISS CORONA / POLYTEC / PERTEN.
-  LOCATED ABOVE THE DISCHARGE AUGER.
-  MEASUREMENT OF WHOLE SAMPLE.
-  INTEGRATED WITH HARVEST MANAGER.

**Optional*







 HALDRUP USA

FAST AND POWERFUL UNLOADING SYSTEM

HALDRUP DISCHARGE BLOWER

SPEED AND AGILITY

HALDRUP DISCHARGE BLOWER

-  HYDRAULIC TRANSMISSION.
-  APPROX. CAPACITY: 22 LBS/SEC. (10 KG/SEC).
-  VARIABLE DISCHARGE ANGLE.
-  TRANSPORT AND WORKING POSITION SYSTEM.



SUPER COMPACT

HALDRUP M-63 DIMENSIONS

TOTAL LENGTH: 6.5 ft. / 2.00 m.

TOTAL WIDTH: 6.50 ft. / 2.00 m.

TRANSPORT HEIGHT: 9.50 ft. / 2.9 m.

TRANSPORT WEIGHT: From 1980 lbs. / 900 Kg.



OPERATION REQUIRES OPTIONALS

HALDRUP OPTIONALS

SILAGE CART



CAB FOR PLATFORM



SAMPLE BALANCE



HARVEST MANAGER



 HALDRUP USA



HALDRUP USA CORP.

425 INDUSTRIAL PARKWAY
OSSIAN, IN 46777
USA

+1 (844) 694 – 6205

Info.usa@haldrup.net

www.haldrup.net

